



**OLEOPHILIC BICYCLIC SILICIC ACID DERIVATIVE HAVING BIRDCAGE-SHAPED STRUCTURE AND ITS PRODUCTION AND USE**

**Patent number:** JP2067290  
**Publication date:** 1990-03-07  
**Inventor:** DAGOBERUTO HOIPUBERU; IRUNE PITSUCHIYU;  
UORUFU HIRAA; JIIGURIITO DAATE;  
ETSUKUHARUTO POPOUSUKII; GEORUKU  
ZONNETSUKU; TOMAASU RAIHERU; HARARUTO  
YANKE; UUUE SHIYAIMU  
**Applicant:** AKAD WISSENSCHAFTEN DDR  
**Classification:**  
- **international:** C07F7/21; C08G77/04; C08G77/06  
- **european:** C07F7/21; C08G77/02; C08G77/06; C08G77/50  
**Application number:** JP19890164090 19890628  
**Priority number(s):** DD19880317319 19880629; DD19880317320  
19880629; DD19880317321 19880629

Also published as:

 EP0348705 (A2)  
 EP0348705 (A3)

Abstract not available for JP2067290

Abstract of corresponding document: **EP0348705**

The invention relates to organophilic double-ring silicic acid derivatives having cage-like structures of the general formula I in which y is 6, 8 or 10, n is zero to (y - 1), R<1>, R<2> and R<3> are phenyl or C1-5-alkyl, and Q is H, OH, halogen, haloalkyl, halophenyl, ethylphenyl, a primary alkanol radical, C2-20-alkyl, C2-8-alkenyl, epoxy, silylalkyl, siloxanylalkyl, phenylmethylsilylalkyl, phenyl, alkenyl- or amine-substituted phenyl, a carboxylic acid radical or a carboxylic acid derivative radical. The novel compounds form polymers. Due to their strength and temperature- and etching-resistance, they can be employed as coating agents, but also as absorbents. Preparation processes are described.

---

Data supplied from the **esp@cenet** database - Worldwide